

CATALOG OF PUNCHING AND IMPACTING DIES

Anvils and Pressure Cylinders

Date of Preparation: 08/19/2011

Revision 2011


Reason for Issue: Updated Format

Chemical Name: Tungsten Carbide

Chemical Family: Refractory Metal (non-ferrous metal)

Chemical Formula: WC

Manufacturer: E-Biz Center of China Tungsten Industry Association



MORE INFORMATION

Web: www.carbide tungsten.com

Email: ebiz@ctia.com.cn


PRODUCTS CONTENTS

Die blanks for making standard bolts.....	2
Die blanks for reducing diameter of nuts.....	4
Die blanks for hexagonal nuts.....	7
Die blanks with sink.....	8
Die blanks with sink-2.....	11
Die blanks for batteries.....	12
Die blanks for cut die.....	13
Die blanks for ring dies.....	15
Die blanks for making hexagonal nuts.....	17
COMPANY INFORMATION.....	18

Die blanks for making standard bolts



Punching Die blanks for making standard bolts



mm

MORE INFORMATION

Web: www.carbide tungsten.com

Email: ebiz@ctia.com.cn


Type	Dimension			Type	Dimension		
	d	D	Range of H		d	D	Range of H
BD0071012	0.7	10.0	10.0~15.0	BD0181020	1.8	10.0	20.0~35.0
BD0090810	0.9	8.00	10.0	BD0181215	1.8	12.0	15.0
BD0101020	1.0	10.0	20.0~40.0	BD0181320	1.8	13.0	20.0~50.0
BD0101320	1.0	13.0	20.0~40.0	BD0181620	1.8	16.0	20.0~40.0
BD0101520	1.0	15.0	20.0~40.0	BD0181825	1.8	18.0	25.0~45.0
BD0101820	1.0	18.0	20.0~45.0	BD0181951	1.8	19.0	51.0
BD0102230	1.0	22.0	30.0	BD0182130	1.8	21.0	30.0~40.0
BD0103020	1.0	30.0	20.0	BD0184645	1.8	46.0	45.0
BD0104030	1.0	40.0	30.0	BD0191625	1.9	16.0	25.0~55.0
BD0121025	1.2	10.0	25.0	BD0192035	1.9	20.0	35.0~50.0
BD0121320	1.2	13.0	20.0~40.0	BD0192250	1.9	22.0	50.0
BD0121855	1.2	18.0	55.0	BD0201520	2.0	15.0	20.0~45.0
BD0150508	1.5	5.0	8.0	BD0201925	2.0	19.0	25.0
BD0151020	1.5	10.0	20.0~35.0	BD0202030	2.0	20.0	30.0~40.0
BD0151115	1.5	11.0	15.0	BD0202220	2.0	22.0	20.0~40.0
BD0151220	1.5	12.0	20.0	BD0202260	2.0	22.0	60.0
BD0151310	1.5	13.0	10.0~40.0	BD0202525	2.0	25.0	25.0
BD0151430	1.5	14.0	30.0	BD0203030	2.0	30.0	30.0~60.0
BD0151520	1.5	15.0	20.0	BD0203530	2.0	35.0	30.0
BD0151620	1.5	16.0	20.0~50.0	BD0204035	2.0	40.0	35.0~60.0
BD0153015	1.5	30.0	15.0	BD0204545	2.0	45.0	45.0
BD0153415	1.5	34.0	15.0	BD0205060	2.0	50.0	60.0
BD0154520	1.5	45.0	20.0	BD0205550	2.0	55.0	50.0
BD0161010	1.6	10.0	10.0~20.0	BD0206060	2.0	60.0	60.0
BD0161215	1.6	12.0	15.0	BD0206560	2.0	65.0	60.0
BD0161820	1.6	18.0	20.0~55.0	BD0211020	2.1	10.0	20.0~35.0
BD0162150	1.6	21.0	50.0	BD0211115	2.1	11.0	15.0

MORE INFORMATION


Web: www.carbidestungsten.com

Email: ebiz@ctia.com.cn

Die blanks for reducing diameter of nuts



Die blanks for reducing diameter of nuts



mm

Type	Dimension						Remark
	d	D	H	d1	h	α	
BS0201015	2.0	10.0	15.0	4.0	/	30°	G08527
BX-76039	2.1	12.0	15.0	2.8	/	40°	G6414
BS0301015	3.0	10.0	15.0	5.0	/	30°	G08528
BS-87003	3.0	13.0	18.0	6.0	/	30°	G87087
BG-80010	3.6	11.5	20.0	6.5	/	30°	G08615
BG-80011	3.6	12.0	20.0	6.5	/	30°	G08697
BS0372613	3.7	26.0	13.0	4.6	/	20°	G88284
BS0401015	4.0	10.0	15.0	6.5	/	30°	G08529
BS0421210	4.2	12.0	10.0	5.5	/	22°	G88172
BS0452010	4.5	20.0	10.0	6.2	/	24°	03001
BS0452613	4.6	26.0	13.0	5.8	/	20°	G88285
BC-82004	5.2	14.0	16.0	/	5.0	25°	G82072
BX-76036	5.5	14.0	21.0	/	6.0	41°	G6433

MORE INFORMATION

Web: www.carbidestungsten.com

Email: ebiz@ctia.com.cn

BS0652010	6.5	20.0	10.0	8.2	/	24°	03002
BS0652613	6.5	26.0	13.0	7.8	/	20°	G88286
BS0652725	6.5	27.0	25.0	10.0	/	30°	G08531
BX-73019	6.7	30.0	31.0	/	1.3	10°	G3217
BX-73014	6.7	30.0	41.0	/	1.3	10°	G3212
BC-82005	6.9	18.0	16.0	/	5.0	25°	G82071
BC-82006	8.0	18.0	16.0	/	5.0	25°	G82069
BS0803010	8.0	30.0	10.0	9.7	/	24°	03003
BS-90004	8.2	14.0	16.0	12.0	/	40°	G90468
BX78008	8.3	16.0	9.0	9.8	2.4	/	G8060
BS0852725	8.5	27.0	25.0	13.0	/	30°	G08532
BX-73020	8.5	30.0	37.0	/	1.5	10°	G3218
BX-73005	8.9	30.0	21.0	/	8.0	18°	G3086
BC-82007	10.0	27.0	22.0	/	5.0	25°	G82070
BS1003014	10.0	30.0	14.0	11.7	/	24°	03004
BS1003621	10.0	36.0	21.0	11.6	/	20°	G88281
BS-88007	10.0	36.0	21.0	11.6	/	20°	G88287
BX-73021	10.3	30.0	42.0	/	1.8	10°	G3219
BX-73016	10.3	30.0	51.0	/	1.8	10°	G3214
BS1052735	10.5	27.0	35.0	15.5	/	30°	G08533
BX-73006	10.7	30.0	21.0	/	8.8	18°	G3087
BS-90003	11.0	29.5	12.0	13.0	4.0	/	G90433
BS1203514	12.0	35.0	14.0	13.7	/	24°	03005
BX-73022	12.2	40.0	47.0	/	2.1	10°	G3220
BX-73017	12.2	40.0	56.0	/	2.1	10°	G3215
BS1383621	13.8	36.0	21.0	15.6	/	20°	G88289
BS1404014	14.0	40.0	14.0	15.7	/	24°	03006
BX-73023	14.2	40.0	52.0	/	2.1	10°	G3221
BS1453235	14.5	32.0	35.0	19.5	/	30°	G08535
BX-73007	14.5	35.0	25.0	/	11.0	18°	G3106
BX-96023	15.4	31.5	19.0	/	1.0	50°	G96164
BS1554020	15.5	40.0	20.0	17.6	/	24°	03007
BS1754520	17.5	45.0	20.0	19.6	/	24°	03008
BX-73008	18.2	35.0	25.0	/	11.0	18°	G3107
BX-96022	18.4	31.5	19.0	/	1.0	50°	G96163
BX-76019	19.0	45.0	35.0	/	5.0	2°	G6219
BS1954520	19.5	45.0	20.0	21.6	/	24°	03009
BX-73009	20.2	50.0	25.0	/	11.0	18°	G3108

MORE INFORMATION

Web: www.carbidestungsten.com



Email: ebiz@ctia.com.cn

BS2105020	21.0	50.0	20.0	23.1	/	24°	03010
BS2405025	24.0	50.0	25.0	26.1	/	24°	03011
BS2656025	26.5	60.0	25.0	28.6	/	24°	03012
BX-76020	27.0	60.0	30.0	/	10.0	3°	G6220
BS3207025	32.0	70.0	25.0	34.1	/	24°	03013

Die blanks for hexagonal nuts



Die blanks for hexagonal nuts



mm

Type	Dimension							Remark
	S	D	H	h	e	α	r	
BF0922509AG	9.2	25.5	9.0	1.5	1.5	60°	0.5	G86160
BF-91005	11.0	30.5	8.5	1.0	1.0	90°	0.2	G91018
BF1162509AG	11.7	25.5	9.0	1.5	1.0	80°	0.4	G89021
BF1193011AG	12.0	30.5	11.2	1.5	1.0	60°	0.4	G97058
BF-91001	12.2	30.5	10.5	1.0	1.0	90°	0.2	G91022
BF1303011AG	13.0	30.5	11.2	1.0	1.0	60°	0.4	G86142
BF1343012AG	13.4	30.5	12.2	1.0	1.0	60°	0.4	G86140
BF-91006	14.0	35.5	11.3	1.5	1.0	90°	0.2	G91019
BF-91002	15.2	35.5	12.5	1.5	1.0	90°	0.2	G91023

MORE INFORMATION

Web: www.carbideistungsten.com

Email: ebiz@ctia.com.cn

BF1623511AG	16.2	35.5	11.8	1.5	1.5	60°	0.5	G86161
BF1723412AG	17.2	34.5	12.5	1.5	1.5	80°	0.4	G89022
BF-91003	17.2	34.5	16.0	1.5	1.0	90°	0.2	G91024
BF1773414AG	17.7	34.5	14.5	1.5	1.0	80°	0.4	G89041
BF1783917AG	17.8	39.0	17.0	2.0	/	60°	0.5	G88107
BF1784315AG	17.9	43.5	15.2	1.5	1.0	60°	0.4	G86143
BF1803917A	18.0	39.0	17.0	2.0	/	60°	0.5	G88108
BF1834316AG	18.4	43.5	16.2	1.5	1.0	60°	0.4	G86141
BF-91008	19.9	46.5	17.2	1.5	1.0	90°	0.2	G91021
BF-91004	20.2	46.5	18.2	1.5	1.0	90°	0.2	G91025
BF2084646AG	20.9	46.5	16.2	1.5	1.0	60°	0.4	G87049
BF2134617AG	21.4	46.5	17.2	1.5	1.0	60°	0.4	G87050
BF2275018AG	22.8	50.5	18.2	1.5	1.0	60°	0.4	G86139
BF2305019AG	23.1	50.5	19.2	1.5	1.0	60°	0.4	G86138
BF2575520AG	25.8	55.5	20.3	1.5	1.0	60°	0.4	G87053
BF2605521AG	26.1	55.5	21.2	1.5	1.0	60°	0.4	G87054
BF-86017	28.6	60.5	23.0	2.0	2.0	30°	0.5	G86189
BF-86016	29.1	60.5	23.0	2.0	2.0	30°	0.5	G86188
BF3006025AG	30.0	60.5	25.0	3.0	1.5	80°	0.4	G89023
BF3086025AG	30.8	60.5	25.0	3.0	2.0	80°	0.4	G89033
BF3126027AG	31.2	60.5	27.5	3.0	2.5	80°	0.4	G89042
BF3126029AG	31.2	60.5	29.0	2.0	2.0	60°	0.5	G90063
BF3156025AG	31.5	60.5	25.0	2.0	2.0	60°	0.5	G90064
BF3316525AG	33.2	65.5	25.0	3.0	2.5	80°	0.4	G89024
BF3406525AG	34.0	65.5	25.0	3.0	2.5	80°	0.4	G89034
BF3427031AG	34.2	70.5	31.0	2.0	2.0	30°	0.5	G86164
BF3466527AG	34.6	65.5	27.5	3.0	2.5	80°	0.4	G89043
BF3497031AG	34.9	70.5	31.0	2.0	2.0	30°	0.5	G86157

Die blanks with sink




MORE INFORMATION

Web: www.carbideistungsten.com

Email: ebiz@ctia.com.cn

Die blanks with sink



Type	Dimension						Remark
	d	D	H	α	d1	h	
BC0211628	2.1	16.0	28.0	90°	5.8	/	G82024
BX-76037	2.3	7.5	6.0	120°	/	1.0	G6437
BX-78007	2.3	12.0	16.0	60°	/	3.5	G8057
BC-82009	2.5	15.0	20.0	120°	/	3.0	G82112
BC-86001	3.2	15.0	20.0	/	12.0	2.0	G86050
BX-89033	3.3	8.0	12.0	90°	/	1.0	G89264
BX-73012	3.5	15.0	20.0	70°	/	5.0	G3115
BC-82011	3.5	15.0	20.0	120°	/	3.0	G82114
BS-88001	3.8	15.0	20.0	/	12.0	2.0	G88080
BG-94004	3.8	16.0	22.0	120°	12.0	/	G94015
BC0382028	3.8	20.0	28.0	90°	8.8	/	G82026
BC0382043	3.8	20.0	43.0	90°	8.8	/	G82027
BX-78006	3.9	15.0	20.0	90°	/	3.0	G8056
BC-86002	4.0	15.0	20.0	/	12.0	2.0	G8651
BX-73003	4.5	15.0	2.0	90°	/	0.5	G3008
BX-73001	4.5	15.0	20.0	70°	/	5.0	G3114
BC0462109	4.6	21.0	9.0	90°	8.6	/	G89129
BC0462111	4.6	21.0	11.0	90°	8.6	/	G89128
BC0462228	4.6	22.0	28.0	90°	10.7	/	G82028
BC0462243	4.6	22.0	43.0	84°	10.7	/	G82029
BS-88002	4.8	15.0	20.0	/	12.0	2.0	G88081
BC-82010	4.9	15.0	20.0	120°	/	3.0	G8213

MORE INFORMATION


Web: www.carbideistungsten.com

Email: ebiz@ctia.com.cn



BG-94005	4.9	16.0	22.0	120°	12.0	/	G94016
BC-86003	5.0	15.0	20.0	/	12.0	2.0	G86052
BG-95003	5.0	16.0	20.0	90°	/	3.0	G95007
BX-73010	5.7	15.0	20.0	70°	/	5.0	G3113
BC0592514G	5.9	25.5	14.3	114°	9.5	/	G86168
BS-88003	6.0	15.0	20.0	/	12.0	2.0	G88082
BC-76001	6.0	16.0	16.0	90°	11.0	/	G6488
BC-86004	6.2	15.0	20.0	/	12.0	2.0	G86053
BG-95004	6.2	16.0	20.0	90°	/	3.0	G95008
BG-94006	6.2	16.0	22.0	120°	12.0	/	G94017
BX-99038	6.2	35.0	13.0	60°	/	5.0	/
BC0642838	6.4	28.0	38.0	90°	14.8	/	G82030
BC0642861	6.4	28.0	61.0	90°	14.8	/	G82031
BX-83015	6.5	10.0	10.0	60°	/	2.5	G83643
BG-95001	7.4	15.0	20.0	/	12.0	2.0	G95056
BG-94007	7.4	16.0	22.0	120°	12.0	/	G94018
BC-86005	7.6	15.0	20.0	/	12.0	2.0	G86054
BC0783015G	7.8	30.5	15.2	114°	12.8	/	G86137
BS-90005	8.3	14.3	21.0	60°	12.5	/	G90469
BX99031	8.3	25.0	30.5	90°	/	1.5	/
BC0832514G	8.3	25.5	14.5	90°	11.0	/	G89027
BC0993520G	9.9	35.5	20.3	114°	16.5	/	G86169
BX-99032	10.2	25.0	17.7	60°	/	1.0	/
BX-99033	10.3	25.0	16.0	60°	/	1.0	/
BC1183420G	11.8	34.5	20.5	120°	17.0	/	G89028
BC1184320G	11.8	43.5	20.2	114°	17.8	/	G86133
BX-91003	12.0	26.0	10.0	/	16.0	2.0	G91117
BX-99034	13.8	35.0	17.1	90°	/	1.5	/
BX-99035	13.8	36.0	35.0	90°	/	1.0	/
BX-99036	13.9	36.0	23.0	90°	/	1.5	/
BC1394622G	13.9	46.5	22.2	114°	20.8	/	G87051
BC1585023G	15.8	50.5	23.2	114°	22.7	/	G86136
BX-99037	16.7	35.0	37.2	90°	/	1.0	/
BC1785525G	17.8	55.5	25.2	114°	25.7	/	G87056
BX-91024	18.0	30.0	10.0	/	22.0	2.0	G91118
BS-85001	18.5	28.0	21.0	60°	/	1.5	G85165
BC2286030G	22.8	60.5	30.5	106°	29.5	/	G89029
BX-89007	22.8	60.5	30.5	/	30.4	2.7	G89037

BC2357036G	23.5	70.5	36.0	114°	34.2	/	G86153
BC2386536G	23.8	65.5	36.0	118°	33.6	/	G89038
BX-89004	23.8	65.5	36.0	/	32.6	2.7	G89030
BX-76032	28.0	45.0	12.0	83°	/	0.8	G6426
BC2988040G	29.8	80.5	40.0	120°	43.4	/	G89040

Die blanks with sink-2



Die blanks with sink-2



mm

Type	Dimension			Remark
	d	D	H	
BX-96024	9.0	25.8	20.0	G96001
BM-92001	10.0	64.6	35.6	G92483
BM1253020A	12.5	30.0	20.0	G88265
BM-90003	12.5	30.0	20.0	G90220
BM1283020A	12.8	30.0	20.0	G88264
BM-9004	12.8	30.0	20.0	G90221
BM1293024AG	12.9	30.0	24.5	G8306
BM-75001	12.9	35.3	20.0	G55131
BM-78001	13.0	24.5	20.0	G9301
BM1353024A	13.5	30.0	24.0	G89313


MORE INFORMATION

Web: www.carbideistungsten.com

Email: ebiz@ctia.com.cn

BM-78003	17.0	28.5	24.5	G8303
BM-81001	20.0	80.0	60.0	G81372
BM2384020A	23.8	40.0	20.0	G88263
BM-90005	23.8	40.0	20.0	G90222
BM-78002	24.0	39.0	32.0	G8302
BM-78004	26.0	41.0	40.0	G8304
BM3054820A	30.5	48.0	20.0	G88262
BM-90006	30.5	48.0	20.0	G90223
BM3084720A	30.8	47.0	20.0	G83302
BM3125028A	31.2	50.0	28.0	G89314
BM3134620AG	31.3	46.8	20.0	G90279
BM-93002	31.4	48.0	20.0	G93192
BM3144918A	31.4	49.0	18.0	G90097
BM3184720A	31.8	47.0	20.0	G83301
BM3194914A	31.9	49.4	14.5	G8323
BM3195028AG	31.9	50.4	28.5	G8305
BM3224820A	32.2	48.0	20.0	G88261
BM-90007	32.2	48.0	20.0	G90224
BM-93003	32.2	48.0	20.0	G93084

Die blanks for batteries





Punching die blanks for batteries

MORE INFORMATION

Web: www.carbidestungsten.com

Email: ebiz@ctia.com.cn



mm

Type	Dimension						Remark
	d	D	H	α	β	h	
BM0412120	4.1	21.0	20.0	30°	45°	1.0	G9142
BM0612120	6.2	21.0	20.0	/	45°	1.0	G9141
BM0822120	8.3	21.0	20.0	/	45°	1.0	G9140
BM-88001	12.5	30.0	20.0	1°30'	10°	2.5	G88265
BM-88006	12.7	30.0	20.0	1°30'	10°	2.5	G88079
BM-88002	12.8	30.0	20.0	1°30'	10°	2.5	G88264
BM1303018B	13.0	30.0	18.0	1°30'	45°	1.0	G08051
BM-88007	13.0	30.0	20.0	1°30'	10°	2.5	G88078
BM2253818B	22.5	38.5	18.0	1°30'	45°	1.5	G08052
BM2294524B	23.0	45.0	24.0	/	7°30'	0.5	G9497
BM2354014B	23.5	40.0	14.0	/	5°	2.5	G8048
BM2354018B	23.5	40.0	18.0	/	5°	1.5	G9111
BM-88003	23.8	40.0	20.0	1°30'	10°	2.5	G88263
BM-88008	24.0	40.0	20.0	1°30'	10°	2.5	G88077
BM2434524B	24.3	45.0	24.0	/	7°30'	0.5	G9496
BX-97019	24.5	37.5	58.2	1°	45°	1.5	G97504
BM-88004	30.5	48.0	20.0	1°30'	10°	2.5	G88262
BM-88009	30.7	48.0	20.0	1°30'	10°	2.5	G88076
BM3084718B	30.8	47.0	18.0	1°30'	45°	1.5	G08053
BM3144918B	31.4	49.0	18.0	/	5°	1.5	G9109
BM3145014B	31.4	50.0	14.0	/	5°	2.5	G8407
BX-97020	31.5	45.5	36.2	1°	45°	1.5	G97505
BM88005	32.2	48.0	20.0	1°30'	10°	2.5	G88261
BM88010	32.4	48.0	20.0	1°30'	10°	2.5	G88075

MORE INFORMATION



Web: www.carbideistungsten.com

Email: ebiz@ctia.com.cn

Die blanks for cut die



Blanks for cut die



mm


MORE INFORMATION

Web: www.carbidecutting.com

Email: ebiz@ctia.com.cn

Type	Dimension						Remark
	d	D	H	α	d1	h	
BG-82001	2.3	8.0	12.0	25°	/	6.0	G82037
BG-82002	2.8	8.0	12.0	25°	/	6.0	G82038
BS-76005	3.7	13.0	15.0	31°	7.0	/	G6014
BG-82003	4.2	10.0	14.0	25°	/	7.0	G82073
BX-74019	5.4	14.0	20.3	15°	/	12.3	G4243
BX-86001	6.5	30.0	18.0	20°	/	7.5	G86224
BX-86002	7.5	30.0	18.0	20°	/	7.5	G86225
BS-90006	8.2	16.0	14.0	30°	14.0	/	G90470
BX-86003	8.5	30.0	18.0	20°	/	7.5	G86226
BG0902025	9.0	20.0	25.0	30°	/	16.0	G87059
BX-86004	10.0	30.0	18.0	20°	/	7.5	G86227
BG1302530	13.0	25.0	30.0	30°	/	20.0	G87060
BG 1603035	16.0	30.0	35.0	30°	/	22.0	G87061
BX-92031	17.0	40.0	27.0	30°	/	16.0	G92655
BG1753540	17.5	35.0	40.0	30°	/	25.0	G87062
BX-92032	20.0	49.0	34.0	30°	/	23.0	G92656
BG2053540	20.5	35.0	40.0	30°	/	25.0	G87063
BG2254545	22.5	45.0	45.0	30°	/	25.0	G87064
BX-92033	25.0	49.0	34.0	30°	/	23.0	G92657
BG2554545	25.5	45.0	45.0	30°	/	25.0	G87065
BX-92034	30.0	58.0	37.0	30°	/	26.0	G92658
BG3406560	34.0	65.0	60.0	30°	/	30.0	G87066
BG3807060	38.0	70.0	60.0	30°	/	30.0	G87067
BG4057560	40.5	75.0	60.0	30°	/	30.0	G87068

Die blanks for ring dies




Blanks for ring dies

MORE INFORMATION

Web: www.carbidestungsten.com

Email: ebiz@ctia.com.cn



mm

Type	Dimension								Remark
	d1	D	H	d	h	a	R	h1	
BD-90027	1.1	12.5	35.0	5.0	17.0	/	/	18.0	G90321
BD-90028	1.6	16.0	40.0	6.0	20.0	/	/	21.0	G90424
BX-93003	3.2	16.0	60.0	5.1	51.5	/	2.0	55.0	G93172
BX-83052	3.5	16.0	45.5	5.0	38.0	/	/	41.3	G83653
BX-83048	3.5	16.0	45.5	5.1	36.5	/	2.0	40.0	G83023
BX-88012	3.6	16.0	46.7	5.3	37.5	/	/	42.3	G88184
BX-92056	3.6	26.5	60.0	5.2	53.0	/	/	56.0	G92157
LX-89011	4.0	20.0	40.2	8.0	22.7	15°	3.0	/	G89223
BD0402926B	4.0	29.0	26.0	5.0	12.0	45°	/	/	G08590
BD0403522B	4.0	35.0	22.0	8.0	1.5	45°	/	/	G08596
BX-93001	4.1	21.0	60.0	7.0	49.5	/	2.0	55.0	G93170
BD-98217	4.2	26.0	26.0	8.1	12.6	/	2.0	16.0	G98142
BX-83049	4.3	21.0	45.5	6.9	35.0	/	2.0	39.9	G83022
BX-83053	4.3	21.0	45.5	6.9	35.5	/	0.5	41.0	G83652
BX-93002	4.5	22.0	60.0	8.8	46.5	/	2.0	55.0	G93171
BX83050	5.0	22.0	45.5	8.7	33.0	/	/	40.5	G83650
BD0503522B	5.0	35.0	22.0	12.0	1.5	45°	/	/	G08597
BX-88013	5.1	22.0	46.7	8.3	35.0	/	/	42.0	G88185
BX-92055	5.1	26.5	60.0	8.8	48.0	/	/	55.0	G92156
BD0602926B	6.0	29.0	26.0	7.0	18.0	45°	/	/	G08591
BX-9807	6.0	30.0	30.0	9.2	22.2	/	/	25.0	/
BD0604034B	6.0	40.0	34.0	9.5	19.0	45°	/	/	G08592
BD0604626B	6.0	46.0	26.0	15.0	2.5	45°	/	/	G08598
BD0704034B	7.0	40.0	34.0	11.0	23.0	45°	/	/	G08593
BD0704626B	7.0	46.0	26.0	17.0	3.5	45°	/	/	G08599

MORE INFORMATION

Web: www.carbideistungsten.com

Email: ebiz@ctia.com.cn

BX-9808	8.0	40.0	40.0	12.5	31.1	/	/	35.0	/
BD0805032B	8.0	50.0	32.0	20.0	3.5	45°	/	/	G08600
BD0905032B	9.0	50.0	32.0	22.0	4.0	45°	/	/	G08601
BD1004545B	10.0	45.0	45.0	13.0	18.0	45°	/	/	G08594
BD-80012	10.0	45.0	45.0	15.0	25.0	45°	/	/	G08595


Die blanks for making hexagonal nuts



Combination die blanks for making hexagonal nuts

MORE INFORMATION

Web: www.carbide tungsten.com
Email: ebiz@ctia.com.cn



mm

Type	Dimension			Remark
	R	H	L	
BF-81001	15.0	8.0	20.0	G81140
BF-81002	20.0	11.5	28.0	G81141
BF-81003	20.0	10.5	28.0	G81142
BF-81004	25.0	14.0	28.0	G81143
BF-81005	25.0	13.0	32.0	G81144
BF-81006	27.5	14.0	36.0	G81145
BF-81007	30.0	15.0	42.0	G81146
BF-81008	30.0	14.0	42.0	G81147
BF-81009	32.5	14.5	46.0	G81148
BF-84001	35.0	15.0	48.0	G84174
BF-94001	15.0	9.2	23.0	G94002
BF-94002	20.0	13.0	29.0	G94003
BF-97001	12.0	7.2	169.5	G97021
BF-03003	18.0	10.5	28.0	/
BF-03004	18.0	11.5	28.0	/
BF-03005	23.0	12.5	32.5	/
BF-03008	23.0	11.5	32.5	/
BF-03006	15.0	10.2	20.0	/
BF-03007	18.5	11.7	20.0	/

MORE INFORMATION

Web: www.carbideistungsten.com

Email: ebiz@ctia.com.cn